

GRADES AVAILABLE - SERVO UNIDRIVE 80W-90

DESCRIPTION

Servo Unidrive 80W-90 oil is an automotive extreme pressure multigrade gear oil blended from specially selected high viscosity index base stocks and contain specific additive system which impart extreme pressure, anti-rust, anti-corrosion and anti oxidation characteristics. This is dual purpose type gear lubricants specifically formulated to meet the rigorous service demand of commercial fleet mechanical transmissions, as well as axles.

APPLICATION

Servo Unidrive 80W-90 is special multigrade heavy duty hypoid gear oils. Primarily recommended for the lubrication of Manual transmissions and hypoid differential units operating under severe conditions and other types of mechanical transmissions and drive axles where extreme pressure gear oils are required. It is ideal for vehicles operating in areas where ambient temperatures vary widely.

PERFORMANCE BENEFITS

Servo Unidrive 80W-90

- Have exceptional chemical and thermal stability permitting use upto bulk oil temperature of 150°C
- Have excellent extreme pressure property to give maximum protection against low speed-high torque wear and high speed – shock induced scoring
- Guard automotive gear assemblies against rust and corrosion.
- Improve Driveline efficiency.

PERFORMANCE STANDARDS

Servo Unidrive 80W-90 meets the following specifications:

- API Service GL5
- ZF TE-ML 02B,16A,17A,19A

APPROVALS

ZF, Germany

CHARACTERISTICS

SAE GRADE	80W-90
Kinematic Viscosity cSt @ 100°C	14.0 – 15.5
Viscosity Index, Min.	85
Flash point (COC), °C Min.	160
Pour Point, °C Max.	(-) 27
Phosphorous % by wt	0.062-0.076

HEALTH & SAFETY

These oils are unlikely to present any significant health or safety hazard when properly used in the recommended application and good standards of industrial and personal hygiene are maintained.

For further information please contact our nearest office OR:

Technical Services Dept., Indian Oil Corporation Ltd., G-9, Ali Yavar Jung Marg, Bandra (East), Mumbai - 400 051

E-Mail: servotechserv@indianoil.in **OR** servots@indianoil.in

May-20