

IDENTITY: Servopress 46 XL

SECTION 1

MANUFACTURER'S NAME :-

INDIAN OIL CORPORATION LTD.

ADDRESS:-

Marketing Division,
G 9, Ali Yavar Jung Marg,
Bandra (East),
Mumbai 400 051

EMERGENCY TELEPHONE NUMBER

91- 022 - 26423272

TELEPHONE NUMBER FOR INFORMATION

91- 022 - 26400926

Tele Fax : 91 022 26427046

DATE PREPARED : April 09th, 2013

SECTION 2 - HAZARDOUS INGREDIENTS INFORMATION

HAZARDOUS COMPONENT	PEL	TLV	OTHER LIMITS	%
Product is a mixture of mineral oils & additives				

SECTION 3 HAZARDS IDENTIFICATION

HEALTH EFFECTS	The product holds no danger of intoxication under normal use. May cause sensitization.
ENVIRONMENTAL IMPACT	Not to be discharged in to the environment.
PHYSICO-CHEMICAL HAZARDS	Under normal conditions of use, product does not hold any special risk of fire or explosion.

SECTION 4 FIRST AID MEASURES

ROUTES OF ENTRY	INHALATION	SKIN	INGESTION
	Not at room temperature	Absorbed through skin only on prolong contact	Through unwashed hands or deliberately
CARCINOGENICITY	NTP	IARC MONOGRAPHS	OSHA REGULATED
	No	NE	NE
HEALTH HAZARD	Acute eye irritation studies (rabbit) Acute skin irritation studies (rabbit) Acute oral toxicity (LD-50) Toxicity to fresh water fish(LC- 50)		NE
SIGNS AND SYMPTOMS OF EXPOSURE	EYES SKIN INHALATION INGESTION	Not expected to cause irritation Irritation, long-term contact may lead to dermatitis . May not affect respiration at room temperature. May lead to gastro - intestinal irritation.	
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE	None		
EMERGENCY AID FIRST AID PROCEDURES	EYES	Flush with plenty of water, seek medical aid if discomfort persists .	
	SKIN	Flush with plenty of water, seek medical aid if discomfort persists .	
	INHALATION	Remove to fresh air , restore breathing if required , medical aid is necessary.	
	INGESTION	Do not induce vomiting .	

Handwritten signature

	ASPIRATION	If the product is believed to have entered the lungs as it can be when vomiting, take the person to hospital for immediate medical attention.
--	------------	---

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT °C MIN. (COC)	>204		
FLAMMABLE LIMITS	NA		
EXTINGUISHING MEDIA	dry chemicals, foam, carbon di-oxide		
SPECIAL FIRE FIGHTING PROCEDURE	Wear Appropriate BIS / NIOSH/MSHA approved pressure demand respirator recommended.		
UNUSUAL FIRE AND EXPLOSION HAZARD	Do not pressurize, cut, weld, braze empty drum which may contain ignitable residue.		
NFPA HAZARD IDENTIFICATION	HEALTH	FLAMMABILITY	REACTIVITY
	0	0	0

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PROTECTION	No special requirement under ordinary conditions of use and with adequate ventilation. Remove source of ignition. Do not smoke.
SPILL MANAGEMENT	FOR LARGE SPILLS; Remove with or pump to storage/slop tanks. FOR SMALL SPILLS; Soak the residue with absorbent like clay, sand or any other suitable material and store it in a tightly sealed non-leaky container for proper disposal. SPILLAGE ON WATER; Mechanical recovery. Notify the authorities concerned if spilled in rivers or sewers.

SECTION 7 HANDLING AND STORAGE

HANDLING	
PREVENTION OF USER EXPOSURE	Ventilate extensively if the formation of vapour or mist is a risk. Reduce exposure risk to products in use or even wastes. Keep away from combustible materials. Keep away from food & beverages
PREVENTION OF FIRE&EXPLOSION	Empty containers which may contain flammable vapours, rags & papers used for removing spills should not be accumulated but disposed off safely after use..
PRECAUTIONS	Avoid build up of static electricity. Avoid risk of accidental spills over hot machine parts and electrical contacts.
STORAGE	
PREVENTIVE MEASURES	Make necessary arrangements to prevent water and soil pollution.
PRECAUTIONS	Store at room temperature. Protect against water/moisture and source of ignition. Keep containers closed when not in use.
INCOMPATIBLE PRODUCTS.	Strong reaction with oxidizing agents.
PACKAGE MATERIALS	Use only hydrocarbon resistant containers.
SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION	

RESPIRATORY PROTECTION	No special requirement under ordinary conditions of use and with adequate ventilation.
VENTILATION	No special requirement under ordinary conditions of use and with adequate ventilation.
PROTECTIVE GLOVES	Neoprene gloves.

Qmsh

EYE PROTECTION	Splash proof goggles.
OTHER PROTECTIVE CLOTHING OR EQUIPMENT	Keep exposed skin covered
WORK/ HYGIENIC PRACTICES	Wash contaminated clothes before reuse .Wash hands with soap and water before smoking , eating , drinking or using toilet .One should minimize dermal and inhalation exposure to this product.
END USE	Compressor Lubricant

SECTION 9 :- PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT °C	> 250	DENSITY AT 15°C, gm/ml	0.861
VAPOR PRESSURE mm Hg	NE	MELTING POINT	NA
VAPOR DENSITY(Air=1)	NE	EVAPORATION RATE (Butyl Acetate=1)	Negligible
SOLUBILITY IN WATER	Not Soluble	PH	NA
APPEARANCE	Liquid	ODOUR	Mild
COLOUR	Light	AUTO FLAMMABILITY	Does not occur
FLAMMABILITY	NA	EXPLOSIVE PROPERTIES	NA
FLASH POINT °C MIN. (COC)	>204	KINEMATIC VISCOSITY AT 40 °C CST	43-48

SECTION 10 REACTIVITY AND STABILITY

STABILITY	UNSTABLE	STABLE Yes, under normal temperature of storage
CONDITIONS TO AVOID	Strong oxidizing agents, heat , open flame	
INCOMPATIBILITY WITH	NA	
HAZARDOUS DECOMPOSITION OR BYPRODUCT	CO and Nitrogen Oxides on incomplete combustion may be produced,	
HAZARDOUS POLYMERIZATION	MAY OCCUR	WILL NOT OCCURE Yes

NA = Not Applicable
NE = Not Established

SECTION 11 TOXICOLOGICAL INFORMATION

Acute toxicity/Local effect :	
Inhalation, comments	Risk is improbable under normal conditions of use . Inhalation of high concentrations of vapour or aerosols may cause irritation of the upper respiratory tract.
Skin contact, comments	Risk is improbable under normal conditions of use
Ingestion, comments	In case of ingestion of small quantities, no adverse effect observed in case of ingestion of larger amounts: abdominal pain diarrhea
Skin Contact:	Characteristic skin affections (oil blisters) may develop following prolonged and repeated exposure through contact with stained clothing.
Sensitization :	May cause an allergic reaction
Carcinogenicity	Used oils have been shown to cause skin cancer in mice following repeated application continuous exposure.

Qm

	Brief of intermittent skin contact with used oil is not expected to have serious effects in human if the oil is thoroughly removed by washing with soap and water.
--	--

SECTION 12 : ECOLOGICAL INFORMATION

Comments about ecotoxicity:	Experimental data on the finished product are not available. It is considered to present a little danger of aquatic life No information available for used product
Mobility	Air : There is a slow loss by evaporation Soil : Given its physical and chemical characteristics, the product generally shows little mobility in the ground. Water : The product is insoluble: it spreads on the surface of the water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Water Disposal:	Dispose in a safe manner, in accordance with local regulations.
Waste Class	The waste classification is dependant on the composition of the product at the time of disposal. The waste producer is responsible for the correct specification of the waste.
Disposal of contaminated packaging	Proceed in compliance with the prevailing regulations

SECTION 14 : TRANSPORT INFORMATION

UN NO not applicable:	
Road /Rail	Not regulated
Transport by barge	Not regulated
Marine (IMO-IMDG):	Not regulated
Air (ICAO/IATA)	Not regulated

SECTION 15 REGULATORY INFORMATION

Risk Phrases:	None
Safety Phrases	None
Other	- May produce an allergic reaction

SECTION 16 OTHER INFORMATION

Revision date	NA
Supersedes the data sheet of:	NA
Safety Data Sheet Status	Approved

NA = Not Applicable
NE = Not Established

DISCLAIMER

Information contained in this material safety data sheet is believed to be reliable but no representation, guarantee or warranties of any kind are made as to its accuracy, suitability for a particular application or results to be obtained from them. It is up to the manufacturer/seller to ensure that the information contained in the material safety data sheet is relevant to the product manufactured/handled or sold by him as the case may be. THE INDIAN OIL CORPORATION LIMITED makes no warranties expressed or implied in respect of the adequacy of this document for any particular purpose.

NA = Not Applicable

NE = Not Established

For further information please contact:

Technical Services Dept. Indian Oil Corporation Limited,

G-9, Ali Yavar Jung Marg,

Bandra (East), Mumbai - 400 051, INDIA

E mail : tservices@indianoil.co.in OR tech_services@indianoil.co.in

Spent